

PHILIPS

Trade luminaires

Myanmar Professional
Trade Catalog 2019



Tools of the trade you can trust

A lighting range that meets all your needs



LED Downlight

Benefits:

- Long lasting performance
- Value for money
- Wide selection of brightness output

Suggested applications:

Shopping malls, retail stores,
residential areas and offices



Downlight - Round

Type: DN027B | Lifetime - 20,000 hours | IP20

Inch	Power	Color temp	Cut-out size	Diameter	Lumen	Carton quantity	Product code
3.5 inch	7W	WW 3000K	90-95mm	115 x 42mm	600lm	24pcs	929002070038
3.5 inch	7W	NW 4000K	90-95mm	115 x 42mm	600lm	24pcs	929002070138
3.5 inch	7W	CW 6500K	90-95mm	115 x 42mm	600lm	24pcs	929002070238
4 inch	7W	WW 3000K	100-105mm	125 x 44mm	600lm	24pcs	929002070638
4 inch	7W	NW 4000K	100-105mm	125 x 44mm	600lm	24pcs	929002070738
4 inch	7W	CW 6500K	100-105mm	125 x 44mm	600lm	24pcs	929002070838
5 inch	10W	WW 3000K	125-130mm	150 x 44mm	900lm	24pcs	929002071238
5 inch	10W	NW 4000K	125-130mm	150 x 44mm	900lm	24pcs	929002071338
5 inch	10W	CW 6500K	125-130mm	150 x 44mm	900lm	24pcs	929002071438
6 inch	14W	WW 3000K	150-155mm	175 x 45mm	1200lm	24pcs	929002072138
6 inch	14W	NW 4000K	150-155mm	175 x 45mm	1200lm	24pcs	929002072238
6 inch	14W	CW 6500K	150-155mm	175 x 45mm	1200lm	24pcs	929002072338
7 inch	17W	WW 3000K	175-180mm	200 x 45mm	1500lm	24pcs	929002072738
7 inch	17W	NW 4000K	175-180mm	200 x 45mm	1500lm	24pcs	929002072838
7 inch	17W	CW 6500K	175-180mm	200 x 45mm	1500lm	24pcs	929002072938
8 inch	22W	WW 3000K	200-205mm	225 x 45mm	2000lm	24pcs	929002073338
8 inch	22W	NW 4000K	200-205mm	225 x 45mm	2000lm	24pcs	929002073438
8 inch	22W	CW 6500K	200-205mm	225 x 45mm	2000lm	24pcs	929002073538

Downlight - Square

Type: DN027B | Lifetime - 20,000 hours | IP20

Inch	Power	Color temp	Cut-out size	Dimension	Lumen	Carton quantity	Product code
4 inch	7W	WW 3000K	100-105mm	125 x 125 x 44mm	600lm	24pcs	929002073938
4 inch	7W	NW 4000K	100-105mm	125 x 125 x 44mm	600lm	24pcs	929002074038
4 inch	7W	CW 6500K	100-105mm	125 x 125 x 44mm	600lm	24pcs	929002074138
5 inch	10W	WW 3000K	125-130mm	150 x 150 x 44mm	900lm	24pcs	929002074538
5 inch	10W	NW 4000K	125-130mm	150 x 150 x 44mm	900lm	24pcs	929002074638
5 inch	10W	CW 6500K	125-130mm	150 x 150 x 44mm	900lm	24pcs	929002074738
6 inch	14W	WW 3000K	150-155mm	175 x 175 x 45mm	1200lm	24pcs	929002075438
6 inch	14W	NW 4000K	150-155mm	175 x 175 x 45mm	1200lm	24pcs	929002075538
6 inch	14W	CW 6500K	150-155mm	175 x 175 x 45mm	1200lm	24pcs	929002075638

Surface Mount Downlight

Type: DN027C | Lifetime - 20,000 hours | IP20

Inch	Power	Color temp	Diameter	Lumen	Carton quantity	Product code
6 inch	11W	WW 3000K	150 x 40mm	900lm	24pcs	911401815697
6 inch	11W	NW 4000K	150 x 40mm	900lm	24pcs	911401815797
6 inch	11W	CW 6500K	150 x 40mm	900lm	24pcs	911401815897
7 inch	15W	WW 3000K	175 x 40mm	1200lm	24pcs	911401815997
7 inch	15W	NW 4000K	175 x 40mm	1200lm	24pcs	911401816097
7 inch	15W	CW 6500K	175 x 40mm	1200lm	24pcs	911401816197
8 inch	18W	WW 3000K	200 x 40mm	1500lm	24pcs	911401816297
8 inch	18W	NW 4000K	200x 40mm	1500lm	24pcs	911401816397
8 inch	18W	CW 6500K	200 x 40mm	1500lm	24pcs	911401816497

Type: **DN027C** | Lifetime - **20,000 hours** | **IP20**

Inch	Power	Color temp	Diameter	Lumen	Carton quantity	Product code
9 inch	23W	WW 3000K	225 x 40mm	2000lm	24pcs	911401816597
9 inch	23W	NW 4000K	225 x 40mm	2000lm	24pcs	911401816697
9 inch	23W	CW 6500K	225 x 40mm	2000lm	24pcs	911401816797


LED Batten

Benefits:

- Easy installation and replacement
- Safety assurance
- Elegant designs
- Waterproof battens available

Suggested applications:

General lighting, stairways, carpark, retail stores, offices and schools



T5 Batten Gen 2

Type: **BN068C** | Lifetime - **20,000 hours** | **IP20** | **Trunkable up to 10 pieces**

Dimension	Power	Color temp	Lumen	Description	Carton quantity	Product code
300mm	4W	WW 3000K	300lm	L300	24pcs	911401818697
300mm	4W	NW 4000K	300lm	L300	24pcs	911401818597
300mm	4W	CW 6500K	300lm	L300	24pcs	911401818497
600mm	7W	WW 3000K	600lm	L600	24pcs	911401818997
600mm	7W	NW 4000K	600lm	L600	24pcs	911401818897
600mm	7W	CW 6500K	600lm	L600	24pcs	911401818797
900mm	10W	WW 3000K	900lm	L900	24pcs	911401819297
900mm	10W	NW 4000K	900lm	L900	24pcs	911401819197
900mm	10W	CW 6500K	900lm	L900	24pcs	911401819097
1200mm	14W	WW 3000K	1200lm	L1200	24pcs	911401819597
1200mm	14W	NW 4000K	1200lm	L1200	24pcs	911401819497
1200mm	14W	CW 6500K	1200lm	L1200	24pcs	911401819397

Accessories

Type: **ZCH086**

Description	Dimension	Carton quantity	Product code
CCPA (Link Cable; male/female)	240mm	20pcs	911401591301
C-2 (Power Cable)	200mm	20pcs	911401591201

SmartBright Waterproof G2

Type: **WT066C** | Lifetime - **25,000 hours** | **IP65**

Dimension	Power	Color temp	Lumen	Description	Wiring Option	Carton quantity	Product code
600mm	9W	NW 4000K	900lm	L600	Terminal block push-in	4pcs	911401822697
600mm	9W	NW 4000K	900lm	L600	Flying wire 0.3 meter	4pcs	911401824697
600mm	18W	NW 4000K	1800lm	L600	Flying wire 0.3 meter	4pcs	911401824897
600mm	18W	CW 6500K	1800lm	L600	Flying wire 0.3 meter	4pcs	911401824797
1200mm	18W	NW 4000K	1800lm	L1200	Flying wire 0.3 meter	4pcs	911401824997
1200mm	18W	CW 6500K	1800lm	L1200	Flying wire 0.3 meter	4pcs	911401825297
1200mm	40W	NW 4000K	3600lm	L1200	Flying wire 0.3 meter	4pcs	911401825097
1200mm	40W	CW 6500K	3600lm	L1200	Flying wire 0.3 meter	4pcs	911401825197
1500mm	50W	NW 4000K	4500lm	L1500	Flying wire 0.3 meter	4pcs	911401825497
1500mm	50W	CW 6500K	4500lm	L1500	Terminal block push-in	4pcs	911401823397
1500mm	50W	CW6500K	4500lm	L1500	Flying wire 0.3 meter	4pcs	911401825397

SmartBright Highbay G3

Benefits:

- Long lasting performance
- Easy installation and retrofitting
- Energy saving
- Comfortable and uniform light

Suggested applications:

General lighting, shopping malls, stadiums, factories, warehouses and workshops



Type: BY239P | Lifetime - 30,000 hours | IP65

Power	Color temp	Lumen	Carton quantity	Product code
62W	CW 6500K	6000lm	1pc	911401564451
62W	NW 4000K	6000lm	1pc	911401564551
97W	CW 6500K	10000lm	1pc	911401564651
97W	NW 4000K	10000lm	1pc	911401564751
145W	NW 4000K	15000lm	1pc	911401564851
145W	CW 6500K	15000lm	1pc	911401564951
190W	CW 6500K	20000lm	1pc	911401565051
190W	NW 4000K	20000lm	1pc	911401565151

Type: BY238Z | Reflector

Description	Carton Quantity	Product code
R-AL S - for 62W & 97W	1pc	911401580051
R-AL S - for 145W & 190W	1pc	911401568651



SmartBright Slim Panel (Recessed)

Benefits:

- Long lasting performance
- Multiple mounting options
- Slim design
- Comfortable and uniform light

Suggested applications:

General lighting, shopping malls and offices



Type: RC091V | Lifetime - 25,000 hours | IP20 | Non-dimmable

Dimension	Power	Color temp	Lumen	Description	Carton quantity	Product code
597 x 597 x 41mm	34W	4000K	2600lm	W60 L60 GM	4pcs	911401845697
297 x 1197 x 41mm	34W	4000K	2600lm	W30 L120 GM	4pcs	911401845797
597 x 597 x 41mm	34W	6500K	2600lm	W60 L60 GM	4pcs	911401846097
297 x 1197 x 41mm	34W	6500K	2600lm	W30 L120 GM	4pcs	911401846197
597 x 597 x 41mm	45W	4000K	3600lm	W60 L60 GM	4pcs	911401845897
297 x 1197 x 41mm	45W	4000K	3600lm	W30 L120 GM	4pcs	911401845997
597 x 597 x 41mm	45W	6500K	3600lm	W60 L60 GM	4pcs	911401846297
297 x 1197 x 41mm	45W	6500K	3600lm	W30 L120 GM	4pcs	911401846397

SmartBright Street

Benefits:

- Long lasting performance
- Energy saving
- Corrosion resistant housing for tough weathers
- Uniform lighting

Suggested applications:

Outdoor lighting and street lighting



Type: BRP042 | Lifetime - 30,000 hours | IP65

Description	Power	Color temp	Dimension	Lumen	Carton Quantity	Product code
MR S1 PSU GR	15W	CW6500K	316 x 107 x 60mm	1400lm	10pcs	919515811876
MR S1 PSU GR	20W	CW6500K	316 x 107 x 60mm	1900lm	10pcs	919515811877

Type: BRP130 | Lifetime - 30,000 hours | IP66

Description	Power	Color temp	Dimension	Lumen	Carton Quantity	Product code
220-240V DM GM	70W	WW 2700K	382.5 x 248.5 x 85mm	7000lm	1pc	911401635504
220-240V DM GM	70W	NW 4000K	382.5 x 248.5 x 85mm	7000lm	1pc	911401635404
220-240V DM GM	70W	CW 5700K	382.5 x 248.5 x 85mm	7000lm	1pc	911401635604



Type: BRP131 | Lifetime - 30,000 hours | IP66

Description	Power	Color temp	Dimension	Lumen	Carton Quantity	Product code
220-240V DM GM	100W	WW 2700K	453.8 x 277.2 x 85mm	10500lm	1pc	911401697104
220-240V DM GM	100W	NW 4000K	453.8 x 277.2 x 85mm	10500lm	1pc	911401697404
220-240V DM GM	100W	CW 5700K	453.8 x 277.2 x 85mm	10500lm	1pc	911401697004



Type: BRP132 | Lifetime - 30,000 hours | IP66

Description	Power	Color temp	Dimension	Lumen	Carton Quantity	Product code
220-240V DM GM	140W	WW 2700K	508.2 x 325.5 x 85mm	14000lm	1pc	911401635704
220-240V DM GM	140W	NW 4000K	508.2 x 325.5 x 85mm	14000lm	1pc	911401636104
220-240V DM GM	140W	CW 5700K	508.2 x 325.5 x 85mm	14000lm	1pc	911401635904



LED Floodlight and Sensor Floodlight

Benefits:

- Long lasting performance
- Energy saving
- Corrosion resistant housing for tough weathers
- Wide selections of brightness and color temperatures

Suggested applications:

Area lighting, indoor and outdoor sports halls, carparks, warehouses and factories



Floodlight

Type: BVP171 | Lifetime - 30,000 hours | IP65

Power	Color temp	Lumen	Voltage	Carton Quantity	Product code
35W	WW 3000K	2600lm	220-240V WB Grey	16pcs	911401672104
35W	NW 4000K	2600lm	220-240V WB Grey	16pcs	911401673404
35W	NW 5700K	2600lm	220-240V WB Grey		911401673104

Type: BVP172 | Lifetime - 30,000 hours | IP65

Power	Color temp	Lumen	Voltage	Carton Quantity	Product code
50W	WW 3000K	4300lm	220-240V WB Grey	8pcs	911401673004
50W	NW 4000K	4300lm	220-240V WB Grey	8pcs	911401673304
50W	NW 5700K	4300lm	220-240V WB Grey	8pcs	911401673804

Type: BVP173 | Lifetime - 30,000 hours | IP65

Power	Color temp	Lumen	Voltage	Carton quantity	Product code
70W	WW 3000K	6650lm	220-240V WB Grey	8pcs	911401689104
70W	NW 4000K	6650lm	220-240V WB Grey	8pcs	911401689204
70W	NW 5700K	6650lm	220-240V WB Grey	8pcs	911401690104

Type: BVP174 | Lifetime - 30,000 hours | IP65

Power	Color temp	Lumen	Voltage	Carton quantity	Product code
100W	WW 3000K	9500lm	220-240V WB Grey	6pcs	911401689404
100W	NW 4000K	9500lm	220-240V WB Grey	6pcs	911401690204
100W	NW 5700K	9500lm	220-240V WB Grey	6pcs	911401689704

Type: BVP175 | Lifetime - 30,000 hours | IP65

Power	Color temp	Lumen	Voltage	Carton quantity	Product code
150W	WW 3000K	14250lm	220-240V WB Grey		911401694904
150W	NW 4000K	14250lm	220-240V WB Grey		911401695004
150W	NW 5700K	14250lm	220-240V WB Grey		911401695104

Type: BVP176 | Lifetime - 30,000 hours | IP65

Power	Color temp	Lumen	Voltage	Carton quantity	Product code
200W	WW 3000K	19000lm +/- 10%	220-240V WB Grey	3pcs	911401629704
200W	NW 4000K	19000lm	220-240V WB Grey	3pcs	911401629204
200W	CW 5700K	19000lm	220-240V WB Grey	3pcs	911401629604

Type: BWS220 | Sensor | Lifetime - 30,000 hours | IP54

Power	Color temp	Lumen	Voltage	Carton quantity	Product code
30W	NW 4000K	2200lm	100-240V	8pcs	911401712682
30W	CW 6500K	2200lm	100-240V	8pcs	911401712692



Outdoor - Essential Smartbright G3 LED Floodlight

Type: BVP150 | Lifetime - 20,000 hours | IP65

Power	Color temp	Lumen	Voltage	Carton quantity	Product code
10W	WW 3000K	850lm	220-240V WB	24pcs	911401732322
10W	NW 4000K	850lm	220-240V WB	24pcs	911401732332
10W	CW 6500K	850lm	220-240V WB	24pcs	911401732342
20W	WW 3000K	1700lm	220-240V WB	24pcs	911401732352
20W	NW 4000K	1700lm	220-240V WB	24pcs	911401732362
20W	CW 6500K	1700lm	220-240V WB	24pcs	911401732372
30W	WW 3000K	2250lm	220-240V WB	24pcs	911401732382
30W	NW 4000K	2250lm	220-240V WB	24pcs	911401732392
30W	CW 6500K	2250lm	220-240V WB	24pcs	911401732402
50W	WW3000K	4250lm	220-240V WB	24pcs	911401732412
50W	NW 4000K	4250lm	220-240V WB	24pcs	911401732422
50W	CW 6500K	4250lm	220-240V WB	24pcs	911401732432
70W	WW 3000K	5950lm	220-240V WB	24pcs	911401732442
70W	NW 4000K	5950lm	220-240V WB	24pcs	911401732452
70W	CW 6500K	5950lm	220-240V WB	24pcs	911401732462

Outdoor - Essential Smartbright G3 LED Security Light



Type: BVP150 | Lifetime - 20,000 hours | IP65

Power	Color temp	Lumen	Voltage	Carton quantity	Product code
20W	WW 3000K	1700lm	220-240V WB	24pcs	911401732852
20W	NW 4000K	1700lm	220-240V WB	24pcs	911401732862
20W	CW 6500K	1700lm	220-240V WB	24pcs	911401732872
50W	WW 3000K	4250lm	220-240V WB	10pcs	911401732912
50W	NW 4000K	4250lm	220-240V WB	10pcs	911401732922
50W	CW 6500K	4250lm	220-240V WB	10pcs	911401732932

Outdoor - Essential Smartbright G2 LED Floodlight

Type: BVP132 | Lifetime - 15,000 hours | IP65

Power	Color temp	Lumen	Voltage	Carton quantity	Product code
20W	CW 6500K	1600lm	220-240V WB	12pcs	911041859298

Type: BVP133 | Lifetime - 15,000 hours | IP65

Power	Color temp	Lumen	Voltage	Carton quantity	Product code
30W	CW 6500K	2400lm	220-240V WB	12pcs	911401859598

Type: BVP135 | Lifetime - 15,000 hours | IP65

Power	Color temp	Lumen	Voltage	Carton quantity	Product code
50W	CW 6500K	4000lm	220-240V WB	12pcs	911401859898

Type: BVP137 | Lifetime - 15,000 hours | IP65

Power	Color temp	Lumen	Voltage	Carton quantity	Product code
70W	CW 6500K	5600lm	220-240V WB	12pcs	911401860198

List of participating stores

I.E.M COMPANY LIMITED - Yangon
WAW Building, NO 28,
 East Race Course Road,
 Tamwe Township,
 Yangon, Myanmar
 Contact no.: 09457750668 / 09457750587
 (Nan Kalayar / Soe Moe Aung)

I.E.M COMPANY LIMITED - Mandalay
No.399, 81st Street
 (Between 31st & 32nd Street),
 Channayetharzan Township,
 Mandalay, Myanmar
 Contact no.: 095010979
 (Ko Win Hlaing Oo)

I.E.M COMPANY LIMITED - Naypyitaw
Room NO Pa/193,
 Naypyitaw Myoma Market,
 Zabuthiri Township,
 Naypyitaw, Myanmar
 Contact no.: 09254082214
 (U Naing Lin)



©2018 Koninklijke Philips N.V.

All rights reserved. Reproduction in whole or in part is prohibited without prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent - or other industrial or intellectual property rights.